



Visit us online: www.chpower.com

Why Accessories?

Campbell Hausfeld offers a complete line of quality accessories to properly install and maintain an air system. In addition, many air tool acessories are offered to get the most out of every tool. The following is a brief overview of CH accessories. For a complete listing, please visit www.chpower.com.



Or call CH Air Tools at: 1-800-543-6400

Air Tool Accessorie

Hose Repair Kits

- Repairs damaged air hose
- Includes: (1) hose splicer, (1) hose end, (3) hose clamps for 3/8" hose
- * Also available in 1/4" (MP3214)

PTFE Tape

- Use on all male threaded connections to prevent air leaks
- Thicker and denser for better sealing and easier use
- 275" x 1/2"

Nylon Recoil Air Hose

- 50' Hose easily expands to full length and retracts for storage
- 35° to 250° F working temperature
- 200 PSI maximum working pressure
- 1 Year Limited Warranty
- * Also available in 25'

Hose Reel

- Includes 50' x 3/8" air hose
- · Mounting plate attaches to any flat surface
- · Beveled flanges makes it easier to wind hose without kinking
- **PVC** Air Hose
 - Heavy-duty reinforcement
- 0° to 130° F working temperature
- 300 PSI maximum working pressure
- 1 Year Limited Warranty
- * More sizes available

Standard Air Filters

- Removes unwanted dirt particles and condensed water to extend tool life
- 5 micron element provides maximum filtration
- Metal bowl-guard protects against impacts
- Quick-release bowl and guarter turn drain for easier use
- 57 scfm flow capacity at 90 PSI
- 3/8" NPT(F) ports









Visit us online: www.chpower.com



PA1194

PA1178

PA2121

MP3314

Mini Air Filters

- Removes unwanted dirt particles and condensed water to extend tool life
- 5 micron element provides maximum filtration
- Screw-on bowl with manual drain
- 21 scfm flow capacity at 90 PSI
- 1/4" NPT(F) ports

Clean Air System

Dessicant Dryer

- Removes water vapor at the point of use
- Desiccant changes color when it needs to be changed or recharged
- Outlet screen keeps desiccant particles out of tools
- Oil-removal filter removes 99.9% of all oil aerosols
- Clear bowl with metal guards for easy viewing fluid level and impact protection
- Quick-release bowl, and quarter turn drain for easy maintenance

Pressure Regulators

Standard Series

- Provides regulated output pressure of 0 to 150 PSI for proper tool operation
- Self-relieving design vents downstream air flow for easier adjustment
- Locking pressure knob prevents accidental pressure changes
- Includes 0 to 160 PSI pressure gauge
- 120 scfm flow capacity @ 90 PSI
- 3/8" NPT(F) ports

Mini Series

- Provides regulated output pressure of 0 to 125 PSI for proper tool operation
- Self-relieving design vents downstream air flow for easier adjustment
- Locking pressure knob prevents accidental pressure changes
- Includes 0 to 160 PSI pressure gauge
- 15 scfm flow capacity @ 90 PSI
- 1/4" NPT(F) ports

Air Lubricators

Standard Series

- · Provides automatic line lubrication to extend air tool life
- Oil-fog design allows bowl to be filled without depressurizing system for easier convenience
- 3.5 oz. quick-release bowl and quarter turn drain provide easier use
- 28 scfm flow capacity @ 90 PSI
- 3/8" NPT(F) ports

Pneumatic Tool Lubricant

- Oil can be used in both air tools and nailers
- * Compressor oil also available









MP5148





1



ST1270



MP5138



Filter / Regulators

Standard Series

- Combines filter and regulator into one unit to save space
- Large capacity metal bowl for use with higher pressure air compressors
- 52 scfm flow capacity @ 90 PSI
- 3/8" NPT(F) ports
- 250 PSI maximum inlet pressure
- Combines standard series filter (PA2121) and standard series regulator (PA2123)

Filter / Regulators / Lubricators

Standard Series

- · Combines standard series filter, regulator and lubricator into one unit to save space
- Complete unit comes pre-assembled with modular mounting bracket for extra convenience
- 3.5 oz. guick-release bowl and guarter turn drain allows easy maintenance
- 28 SCFM flow capacity @ 90 PSI
- 3/8" NPT(F) ports

1/4" Series Industrial Style

Easy-Connect Coupler

- Easy-connect design simply push plug into coupler to connect
- * More sizes available for couplers & plugs

1/4" Series Aro

Easy-Connect Coupler

- Easy-connect design simply push plug into coupler to connect
- * More sizes available for couplers & plugs
- 1/4" Series Automotive

Easy-Connect Coupler

- · Easy-connect design simply push plug into coupler to connect
- * More sizes available for couplers & plugs

1/4" Series Lincoln

Easy-Connect Coupler

- Easy-connect design simply push plug into coupler to connect
- * More sizes available for couplers & plugs

3/8" Series Automotive

• Easy-connect design - simply push plug into coupler to connect















3/8"



PA2125

PA2078

MP2883













ТЛЛ

1/4.



Universal Design Couplers and Plugs:

- Eliminate coupler confusion
- Fits most popular plug styles including automotive, industrial and aro
- Easy-connect design simply push plug into coupler to connect
- Includes accidental disconnect protection which also protects the coupler sleeve.

